

Références bibliographiques

- Berg A., Gardenfors U., Hallingback T. & Noren M. 2002. Habitat preferences of red-listed fungi and bryophytes in woodland key habitats in southern Sweden - analyses of data from a national survey. *Biodiversity & Conservation* 11 : 1479-1503.
- Boudreault C., Gauthier S. & Bergeron Y. 2000. Epiphytic lichens and bryophytes on *Populus tremuloides* along a chronosequence in the southwestern boreal forest of Quebec, Canada. *Bryologist* 103 : 725-738.
- Buckley P., Ito S. & McLachlan S. 2002. Temperate woodlands. Handbook of ecological restoration (eds M.R. Perrow & A.J. Davy), pp. 503-538. Cambridge University Press, Cambridge.
- Cobb A. R., Nadkarni N. M., Ramsey G. A. & Svoboda A. J. 2001. Recolonization of bigleaf maple branches by epiphytic bryophytes following experimental disturbance. *Canadian Journal of Botany* 79 : 1-8.
- Frisvoll A. A. & Presto T. 1997. Spruce forest bryophytes in central Norway and their relationship to environmental factors including modern forestry. *Ecography* 20: 3-18.
- Fuller R. J. & Peterken G. F. 1995. Woodland and scrub. Managing habitats for conservation (eds W.J. Sutherland & D.A. Hill), pp. 329-361. Cambridge University Press, Cambridge.
- Graae B. J. 2000. The effect of landscape fragmentation and forest continuity on forest floor species in two regions of Denmark. *Journal of Vegetation Science* 11: 881-892.
- Holien H. 1998. Lichens in spruce forest stands of different successional stages in central Norway with emphasis on diversity and old growth species. *Nova Hedwigia* 66: 283-324.
- Lambinon J., Delvosalle L. & Duvigneaud J. 2004. Nouvelle flore de la Belgique, du Grand-Duché de luxembourg, du nord de la France et des régions voisines (Ptéridophytes et Spermatophytes), éd. 5. Patrimoine du Jardin botanique national de Belgique, Meise, CXXX + 1167 pp.
- McGee G. G. & Kimmerer R. W. 2002. Forest age and management effects on epiphytic bryophyte communities in Adirondack northern hardwood forests, New York, USA. *Canadian Journal of Botany* 32 : 1562-1576.
- MCPFE 2003. State of Europe's forests 2003. MCPFE, Vienne.
- Norton T. W. 1996. Conservation of biological diversity in temperate and boreal forest ecosystems. *Forest Ecology and Management* 85: 1-7.
- Ojala E., Monkkonen M. & Inkeroinen J. 2000. Epiphytic bryophytes on European aspen *Populus tremula* in old-growth forests in northeastern Finland and in adjacent sites in Russia. *Canadian Journal of Botany* 78 : 529-536.
- Pharo E. J., Beattie A. J. & Binns D. 1999. Vascular plant diversity as a surrogate for bryophyte and lichen diversity. *Conservation Biology* 13 : 282-292.
- Pharo E. J., Beattie A. J. & Pressey R. L. 2000. Effectiveness of using vascular plants to select reserves for bryophytes and lichens. *Biological Conservation* 96 : 371-378.
- Pipp A. K., Henderson C. & Callaway R. M. 2001. Effects of forest age and forest structure on epiphytic lichen biomass and diversity in a douglas-fir forest. *Northwest Science* 75 : 12-24.
- Poelt J. 1969. Bestimmungsschlüssel europäischer Flechten. Cramer, Lehre, 757 pp.
- Printzen C., Halda J., Palice Z. & Tonsberg T. 2002. New and interesting lichen records from old-growth forest stands in the German National Park Bayerischer Wald. *Nova Hedwigia* 74: 25-49.

- Purvis O.W., Coppins B.J., Hawksworth D.L., James P.W. & Moore D.M. (eds.) 1992. The Lichen Flora of Great Britain and Ireland. Natural History Museum Publication & British Lichen Society, London, 710 pp.
- Rambo T. R. & Muir P. S. 1998. Bryophyte species associations with coarse woody debris and stand ages in Oregon. *Bryologist* 101 : 366-376.
- Rameau J. C. et al. 1989. Flore forestière française. Tome 1. Plaine et collines. IDH.
- Rose F. 1992. Temperate forest management : its effect on bryophyte and lichen floras and habitats. In Bates J. W. & Farmer A. M. (eds.), *Bryophytes and lichens in a changing environment*, pp. 211-233. Clarendon Press, Oxford.
- Ross-Davis A. L. & Frego K. A. 2002. Comparison of plantations and naturally regenerated clearcuts in the Acadian Forest: forest floor bryophyte community and habitat features. *Canadian Journal of Botany* 80 : 21-33.
- Schumacker R. (ed.) 1985. Atlas de distribution des bryophytes de Belgique, du Grand-Duché de Luxembourg et des régions limitrophes. I. Anthocerotae & Hepaticae. Jardin Botanique National de Belgique, Meise.
- Sillett S. C., McCune B., Peck J. E. & Rambo T. R. 2000a. Four years of epiphyte colonization in Douglas-fir forest canopies. *Bryologist* 103: 661-669.
- Sillett S. C., McCune B., Peck J. E., Rambo T. R. & Ruchty A. 2000b. Dispersal limitations of epiphytic lichens result in species dependent on old-growth forests. *Ecological applications* 10: 789-799.
- Smith A.L. 1918. A Monograph of the British Lichens. A descriptive catalogue of the species in the department of botany, British Museum, part 1, 2nd ed. British Museum, Longmans, Green & Co., London, XXIV + 519 pp., 71 pl.
- Sotiaux A. & Vanderpoorten A. 2001a. Atlas bryologique du Brabant wallon. *Lejeunia* 167: 77 pp.
- Sotiaux A. & Vanderpoorten A. 2001b. Check-list of the bryophytes of Belgium. *Belgian Journal of Botany* 134: 97-120.
- Sotiaux A. & Vanderpoorten A. 2004. Catalogue, atlas commenté et mesures de conservation des bryophytes du bassin hydrographique de la Semois (Belgique, France). *Lejeunia* 175: 1-49.
- Sotiaux A., Sotiaux O., Vanderpoorten A., Durwael L. 2000. The distribution of bryophytes in the forest of Soignes (South of Brussels, Belgium) *Scripta Botanica Belgica* 18. 83pp.
- Thompson I. D., Baker J. A. & Ter-Mikaelian M. A. 2003. Review of the long-term effects of post-harvest silviculture on vertebrate wildlife, and predictive models, with an emphasis on boreal forests in Ontario, Canada. *Forest Ecology and Management* 177: 441-469.
- Trass H., Vellak K. & Ingerpuu N. 1999. Floristical and ecological properties for identifying of primeval forests in Estonia. *Annales Botanici Fennici* 36 : 67-80.
- Vanden Berghen C. 1955-1957. Flore Générale de Belgique. Bryophytes. Vol. 1. Bruxelles, jardin Botanique de l'Etat.
- Vanderpoorten A. & Engels P. 2002. The effects of environmental variation on bryophytes at a regional scale. *Ecography* 25: 513-522.
- Vanderpoorten A. & Engels P. 2003. Patterns of bryophyte diversity and rarity at a regional scale. *Biodiversity & Conservation* 12: 545-553.
- Vanderpoorten A., Sotiaux A. & Sotiaux O. 2001. Integrating bryophytes in the forest management plan : lessons from a grid-mapping in the Forest of Soignes (Belgium). *Cryptogamie, Bryologie* 22: 217-230.

- Vanderpoorten A., Sotiaux A. & Engels P. 2004. Trends in diversity and abundance of obligate epiphytic bryophytes in a highly managed landscape. *Ecography* 27: 567-576.
- Vanderpoorten A., Sotiaux A. & Engels P. 2005. Biological Conservation.
- Vellak K. & Paal J. 1999. Diversity of bryophyte vegetation in some forest types in Estonia: a comparison of old unmanaged and managed forests. *Biodiversity & Conservation* 8 : 1595-1620.
- Vobis G. 1980. Bau und Entwicklung der Flechten-Pycnidien und ihrer Conidien. *Bibliotheca Lichenologica* 14: 1-141.
- Walter J.-M. N. 1991. Bref aperçu du statut et de la dynamique des forêts anciennes naturelles et semi naturelles d'Europe. *Revue forestière française* 43 : 173-184.
- Watson E.V. 1994. *British Mosses and Liverworts*. 3^e Edition, Cambridge University Press.
- Wirth V. 1995. *Die Flechten Baden-Württembergs*, Teil 1 & 2, 2. Aufl. Verlag Eugen Ulmer, Stuttgart, 1006 pp.